(in accordance with Regulation (EU) 2015/830)

ML622 SYN GEAR OIL ISO 220



Date of Issue: 10/06/2020

Page 1 of 5 Revision Date: 10/06/2020

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name:ML622 Syn Gear Oil ISO 220Product Code:ML622Recommended Use of Product:Industrial Gear OilUses Advised Against:No Additional Information Available

1.2 Details of the supplier of the safety data sheet.

Company:	MAK LUBES INTERNATIONAL LTD
Address:	The Old Brewery, 2 Brewery Court, High Street
City:	Theale, Reading RG7 5AH
Province:	Berkshire, United Kingdom
Telephone:	+44 (0) 7464 325169
E-mail:	sales@mak-global.org
Web:	www.mak-global.org

1.3 Emergency telephone no: Toxicology Centre: +54 11 4 962 2247 / 6666

(UK: during office hours only; Monday-Friday; 08:00-17:00) Tel: +44 (0) 7464 325169

SECTION 2: HAZARDS IDENTIFICATION.

Classification of the substance or mixture: Not classified.

GHS label elements: Hazard pictograms: none. Signal word: none. Hazard statements: no known significant effects or critical hazards. Precautionary statements: Prevention: not applicable. Response: not applicable. Storage: store in a well-ventilated place. Disposal: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other hazards that do not lead to a classification: none known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

Substance / mixture: mixture. Other means of identification: not available.

Ingredient name	CAS number	%	GHS Classification
Hydrocracked base oil	Mixture	50 - 60	Not classified.
Polyisobutylene	9003-27-4	40 - 50	Not classified.
Additives	Confidential	5 - 10	Not classified.

SECTION 4: FIRST AID MEASURES.

Description of necessary first aid measures:

Eye contact: wash immediately with plenty of water, at least 15 minutes. If eye irritation occurs, get medical attention. Skin contact: wash with plenty of water and soap. Remove contaminated clothes and wash them before reusing them. If irritation occurs or persists, obtain medical attention.

Inhalation: transfer the affected person to fresh air. If not breathing, perform artificial respiration. If breathing is difficult, supply oxygen. Get medical attention if symptoms appear.

(in accordance with Regulation (EU) 2015/830)

ML622 SYN GEAR OIL ISO 220



Date of Issue: 10/06/2020

Page 2 of 5 Revision Date: 10/06/2020

Ingestion: wash out mouth with water. If material has been ingested and the exposed person is conscious, provide small amounts of water to drink. Do not induce vomiting unless expressly indicated by medical personnel.

Most important symptoms / effects, acute or delayed: Potential acute health effects: Eye contact: no significant effects or critical hazards are known. Skin contact: no significant effects or critical hazards are known. Inhalation: inhalation of mists or vapors may cause respiratory irritation. These mists or vapors may contain traces of hydrogen sulfide (OSHA STEL 15 ppm, IDLH 300 ppm and ACGIH 10 ppm). Ingestion: no significant effects or critical hazards are known. Over-exposure signs / symptoms: Eye contact: no specific data. Skin contact: no specific data. Inhalation: no specific data. Inhalation: no specific data.

Indication of immediate medical attention and special treatment needed, if necessary:

Notes to physician: treat symptomatically. Contact a poison treatment specialist immediately if a large amount has been swallowed or inhaled.

Specific treatments: there is no specific treatment.

Protection of first-aid personnel: no action shall be taken involving any personal risk or without adequate training.

SECTION 5: FIREFIGHTING MEASURES.

Suitable extinguishing media: dry chemical powder, chemical foam or carbon dioxide to extinguish the flames. Use water spray to cool the containers exposed to the fire.

Unsuitable extinguishing media: do not use water jet.

Specific hazards arising from the chemical: the pressure may rise and the container may explode in case of heating or fire. Hazardous thermal decomposition products: carbon dioxide, carbon monoxide, hydrogen sulfide, sulfur oxides, phosphorus oxides.

Special measures to be taken by firefighting teams: quickly isolate the area, evacuate all persons in the vicinity of the incident. No action should be taken that involves a personal risk or without proper training.

Special protective equipment for fire-fighters: Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus with full face-piece operating in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

Personal precautions, protective equipment and emergency procedures:

For personnel who are not part of the emergency services: no action should be taken that involves a personal risk or without adequate training. Evacuate the surroundings. Do not allow the entry of unnecessary and unprotected personnel. Do not touch or walk through spilled material. Wear appropriate personal protective equipment.

For emergency personnel: if special elements are needed to manage the spill, take into account the information indicated in Section 8.

Environmental precautions: avoid dispersion of spilled material, its contact with soil, drains, surface water and groundwater. Inform the relevant authorities if the product has caused environmental contamination.

Methods and material for containment and cleaning up:

Small spill: stop the leak if this does not represent any risk. Remove the containers from the spill area. Absorb with a dry inert material and place in appropriate containers for special waste. Dispose by an authorized special waste operator. Large spill: stop the leak if this does not represent any risk. Remove the containers from the spill area. Prevent the product from entering sewers, water courses, basements or small areas. Wash spills to an effluent treatment plant or proceed as indicated below. Stop and collect spills with non-combustible absorbent materials, such as sand, earth, vermiculite or diatomaceous earth, and place in appropriate containers for special waste. Dispose by an authorized special waste operator.

Reference to other sections: See Section 8.

(in accordance with Regulation (EU) 2015/830)

ML622 SYN GEAR OIL ISO 220



Date of Issue: 10/06/2020

Page 3 of 5 Revision Date: 10/06/2020

SECTION 7: HANDLING AND STORAGE.

Precautions for safe handling:

Protective measures: use appropriate personal protective equipment (see Section 8).

Information regarding occupational hygiene: eating, drinking or smoking should be prohibited in the places where this product is handled, stored or treated. Workers should wash their hands and face before eating, drinking or smoking. Remove protective equipment and contaminated clothing before entering areas where you eat.

Conditions for safe storage, including possible incompatibilities: keep in accordance with current regulations. Store in the original, tightly closed container, protected from direct sunlight in a dry, cool and well-ventilated area, separated from incompatible materials (see Section 10) and food and drink. Open containers should be closed perfectly and kept in an upright position. Do not store in unlabeled containers.

Specific end use(s): no additional data.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Control parameters: Occupational exposure limits:

Component	Exposure limit
Mineral oil	ACGIH (USA) – TWA: 5 mg/m ³ (mist)

Appropriate engineering controls: general ventilation should be sufficient to control worker exposure to airborne contaminants. Environmental exposure controls: Emissions from ventilation equipment or work processes must be checked to verify that they meet the requirements of environmental legislation.

Individual protection measures:

Hygiene measures: wash hands, forearms and face completely after handling chemical products, before eating, smoking and using the sink and at the end of the work day. Use appropriate techniques to remove contaminated clothing. Wash contaminated clothing before reuse. Verify that the eyewash stations and safety showers are near the work stations.

Eye / face protection: safety eyewear complying with approved standards should be worn when a risk assessment indicates that this is necessary. If contact is possible, safety glasses with side protection should be used, unless the rating indicates a higher degree of protection.

Skin protection:

Hand protection: If a risk assessment indicates that it is necessary, chemically resistant and impenetrable gloves that meet approved standards should be worn whenever chemical products are handled.

Body protection: before using this product personal protective equipment for the body should be selected based on the task to be performed and the risks involved and should be approved by a specialist.

Another type of skin protection: you must choose the right footwear and any other necessary skin protection measure depending on the task carried out and the risks involved. Such measures must be approved by a specialist before handling this product. Respiratory protection: If a risk assessment indicates that it is necessary, use an air-purifying respirator or an air supply that meets approved standards. The respirator must be selected based on the actual or anticipated exposure levels, the hazards of the product and the degree of operational safety of the chosen respirator.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

Physical state: liquid. Color: purple. Odor: soft, characteristic. Odor threshold: not available. pH: not applicable. Melting point / freezing point: not available. Boiling point: not available. Flash point: 200 °C Evaporation rate: not available. Flammability (solid, gas): not applicable. Flammability or explosive limits: not available. Vapor pressure: not available. Vapor density: not available.

(in accordance with Regulation (EU) 2015/830)

ML622 SYN GEAR OIL ISO 220



Date of Issue: 10/06/2020

Page 4 of 5 Revision Date: 10/06/2020

Relative density: 0,873 Solubility: soluble in most organic solvents; insoluble in water. Partition coefficient n-octanol / water: not available. Autoignition temperature: not available. Decomposition temperature: not available. Viscosity: 220 cSt (40 °C).

Other information: no additional information available.

SECTION 10: STABILITY AND REACTIVITY.

Reactivity: there is no available test data on the reactivity of this product or its components.

Chemical stability: under normal conditions of storage and use, the product is stable.

Possibility of hazardous reactions: under normal conditions of storage and use, no hazardous reactions occur.

Conditions to avoid: no specific data.

Incompatible materials: strong oxidizing agents.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION.

Acute toxicity: not available. Skin corrosion / irritation: not available. Serious eye damage / eye irritation: not available. Respiratory or skin sensitization: not available. Mutagenicity: not available. Carcinogenicity: not available. Reproductive toxicity: not available. Specific target organ toxicity - Single exposure: not available. Specific target organ toxicity - Repeated exposure: not available. Aspiration hazard: not available.

Information on the likely routes of exposure: skin, eyes, ingestion, inhalation.

Potential acute health effects: Eye contact: no significant effects or critical hazards are known. Skin contact: no significant effects or critical hazards are known. Inhalation: inhalation of mists or vapors of mineral oil at elevated temperatures may cause respiratory irritation. Ingestion: no significant effects or critical hazards are known.

Symptoms related to physical, chemical and toxicological characteristics: Eye contact: no specific data. Skin contact: no specific data. Inhalation: no specific data. Ingestion: no specific data.

Immediate and delayed effects, as well as chronic effects produced by a short and long term exposure: Short-term exposure: Possible immediate effects: not available. Possible delayed effects: not available. Long-term exposure: Possible immediate effects: not available. Possible delayed effects: not available. Possible delayed effects: not available. Possible delayed effects: not available. Potential chronic health effects: General: no significant effects or critical hazards are known. Carcinogenicity: no known significant effects or critical hazards. Mutagenesis: no significant effects or critical hazards are known. Teratogenicity: no known significant effects or critical hazards. Developmental effects: no significant effects or critical risks are known. Fertility effects: no significant effects or critical risks are known.

Numerical measures of toxicity: not available.

Interactive effects: not available.

(in accordance with Regulation (EU) 2015/830)

ML622 SYN GEAR OIL ISO 220



Date of Issue: 10/06/2020

Page 5 of 5 Revision Date: 10/06/2020

SECTION 12: ECOLOGICAL INFORMATION.

Toxicity: not available. Persistence / degradability: not available. Bioaccumulative potential: not available. Mobility in the soil: not available. Results of PBT and vPvB assessment: not available. Other adverse effects: not available.

SECTION 13 DISPOSAL CONSIDERATIONS.

The generation of waste should be avoided or minimized wherever possible. Waste: Dispose safely, in accordance with current legislation (Law 24,051). Contaminated packaging: Dispose in a safe manner, in accordance with current legislation (Law 24,051).

SECTION 14: TRANSPORT INFORMATION.

National and International Regulations: Land (DOT): Not regulated for land transport. Sea (IMDG): Not regulated for maritime transport. Air (IATA): Not regulated for air transport.

Special precautions for user: not applicable.

Transport in bulk according to Annex II of Marpol and the IBC Code: not applicable.

SECTION 15: REGULATORY INFORMATION.

Law 19,587 and Regulatory Decrees; current provincial and / or municipal legislation. Law 24,051 and Regulatory Decrees; current provincial and / or municipal legislation. Law 24,449 and Regulatory Decrees; current provincial and / or municipal legislation.

Chemical safety assessment: no chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION.

Classification of the degree of risk according to NFPA 704: Health: 1 Flammability: 1 Reactivity: 0 Special: -

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.